

## NT 22/1 AP BP L

Compact and versatile battery powered wet and dry vacuum cleaner NT 22/1 Ap Bp for demanding wet and dry applications at locations without an external power supply. With space-saving flat pleated filter.



Made in Europe



BATTERY  
NOT INCLUDED



REAL TIME  
TECHNOLOGY



SAFETY

Order no.

1.528-130.0

- Dust class L certification
- Efficient semi-automatic filter cleaning
- Flat pleated filter with filter casing

### Technical data

|  |            |                                     |
|--|------------|-------------------------------------|
| EAN code   |            | 4054278672328                       |
| Battery platform                                 |            | 36 V battery platform               |
| Container content                                | l          | 22                                  |
| Container material                               |            | Plastic                             |
| Sound pressure level                             | dB(A)      | 70                                  |
| Air flow   | l/s        | 57                                  |
| Vacuum   | mbar / kPa | 152 / 15.2                          |
| Rated input power                                | W          | max. 575                            |
| Standard nominal width                           |            | ID 35                               |
| Number of batteries required                     | Piece(s)   | 1                                   |
| Performance per battery charge                   | m²         | approx. 150 (7.5 Ah)                |
| Runtime per battery charging                     | min        | max. 31 (7.5 Ah) / max. 24 (6.0 Ah) |
| Battery charging time with fast charger 80%/100% | min        | 58 / 81                             |
| Charging current                                 | A          | 6                                   |
| Power supply for battery charger                 | V / Hz     | 100 - 240 / 50 - 60                 |
| Colour   |            | anthracite                          |
| Weight without accessories                       | kg         | 8.8                                 |
| Weight incl. packaging                           | kg         | 11.1                                |
| Dimensions (L × W × H)                           | mm         | 401 × 372 × 499                     |

### Equipment

|  |          |                                   |
|--|----------|-----------------------------------|
| Variant  |          | Battery and charger not included  |
| Suction hose length                                | m        | 1.9                               |
| Suction hose type                                  |          | with bend                         |
| Quantity of suction tubes                          | Piece(s) | 2                                 |
| Suction tubes length                               | mm       | 505                               |
| Suction tubes material                             |          | Plastic                           |
| Filter bag material                                |          | Fleece                            |
| Wet/dry floor nozzle width                         | mm       | 300                               |
| Crevice nozzle                                     |          | ■                                 |
| Automatic cut-out features at max. filling quality |          | ■                                 |
| Flat pleated filter                                |          | Paper                             |
| Filter cleaning                                    |          | Semi-automatic filter cleaning Ap |
| Protection class                                   |          | III                               |

■ included in the scope of supply.



## Powerful 36 V Kärcher Battery Power+-battery with 7.5 Ah capacity

- Ensures a long runtime of 31 minutes at full suction power.



## Effective protection cover for the battery bay

- Protects the battery from dirt and moisture. With viewing window.



## Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.


## ACCESSORIES FOR NT 22/1 AP BP L 1.528-130.0



|   |    | Order no.   | Description  |   |
|---|----|-------------|--|---|
| <b>FLAT PLEATED FILTER, STANDARD, BIA C OR UP TO DUST CLASS M</b>   |    |             |  |   |
| <b>Flat pleated filter, paper</b>   |    |             |  |   |
| Flat pleated filter, paper  | 1  | 6.904-156.0 | For wet and dry vacuum cleaners NT 14/1 and NT 22/1 Ap Bp: flat pleated filter Dry made from cellulose fibre material for vacuuming fine dust and coarse dirt from dust classes L and M. With green label.             | ■ |
| <b>Flat pleated filter, PES</b>   |    |             |  |   |
| Flat pleated filter, PES  | 2  | 6.906-123.0 | Flat pleated filter (PES) – BIA-C dust class M: rotproof polyester fleece, ideal for wet use and abrasives. Optional main filter for NT 14/1 and NT 351 Eco/Professional.  | □ |
| Wet & Dry flat pleated filter   | 3  | 6.907-649.0 | Optional Wet & Dry flat pleated filter made from PES fibre material for wet and dry vacuum cleaners NT 14/1, NT 22/1 Ap Bp. For vacuuming liquids and dust from the L and M dust classes. Blue label.                  | □ |
| <b>BENDS</b>  |    |             |  |   |
| <b>Bend, plastic</b>  |    |             |  |   |
| Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end   | 4  | 2.889-199.0 | DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.  | ■ |
| <b>SUCTION NOZZLES</b>  |    |             |  |   |
| <b>Floor nozzles</b>  |    |             |  |   |
| Wet/dry floor nozzle, DN 35, width 300 mm, with parking hook  | 5  | 2.899-811.0 | Plastic wet/dry floor nozzle with parking hook, brush strips and squeegees in DN 35. For wet and dry vacuuming of fine dust, coarse dirt or liquids. Width of 300 mm.  | ■ |
| <b>Crevice nozzles</b>  |    |             |  |   |
| Crevice nozzle, DN 35, plastic, 225 mm  | 6  | 2.889-159.0 | Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.  | ■ |
| <b>Car cleaning nozzles</b>   |    |             |  |   |
| Ergonomic car nozzle, ID 35, 100 mm   | 7  | 2.889-356.0 | Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.                         | □ |
| Car nozzle, ID 35, 90 mm  | 8  | 6.906-108.0 | Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.   | □ |
| <b>SUCTION TUBES</b>  |    |             |  |   |
| <b>Suction tubes, plastic</b>   |    |             |  |   |
| Suction tube, 2 x, HV and NT, DN 35, 505 mm long, plastic, suitable for: T 7/1, T 22/1, NT 27/1, NT 48/1, ProNT 600 L                   | 9  | 2.889-218.0 | The suction tube set consists of 2 suction tubes made of high-quality plastic (DN 35 and 505 mm long each). For the HV 1/1 Bp battery-powered hand vacuum cleaner as well as wet and dry vacuum cleaners from Kärcher. | ■ |
| <b>Suction tubes, metal</b>   |    |             |  |   |
| Suction tube, DN 35, 505 mm long, chrome-plated steel, suitable for: T 7/1, T 10/1, T 12/1, NT 22/1, NT 30/1, NT 40/1, NT 50/1, NT 65/2 | 10 | 6.902-074.0 | Chrome-plated steel suction tube for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners, nominal width DN 35 and 505 mm long.   | □ |
| <b>BATTERIES</b>  |    |             |  |   |
| Battery Power 36/50   | 11 | 2.445-031.0 | 36 V / 5.0 Ah Battery Power exchangeable battery with innovative Real Time Technology incl. LCD display to show the battery level. Suitable for all devices on the 36 V Kärcher battery platform.                      | □ |
| <b>BATTERY CHARGERS</b>   |    |             |  |   |
| Fast Charger Battery Power 36 V   | 12 | 2.445-033.0 | With the fast charger, the 36 V/2.5 Ah exchangeable battery can be charged to 80% in just 48 minutes. Also suitable for all other batteries on the 36 V Kärcher battery platform.                                      | □ |
| <b>STARTERKIT BATTERIES AND BATTERY CHARGERS</b>  |    |             |  |   |
| Starter kit Battery Power 36/50   | 13 | 2.445-065.0 | Battery Power 36/50 Starter Kit incl. 36 V/5.0 Ah Battery Power exchangeable battery and 36 V fast charger. Suitable for use in all devices on the 36 V Kärcher battery platform.                                      | □ |
| <b>BATTERIES</b>  |    |             |  |   |
| Battery Power+ 36/75  | 14 | 2.445-043.0 | A capacity of 7.5 Ah guarantees long runtimes for the Battery Power+ 36 V lithium-ion battery. Very powerful, with Real Time Technology via LCD display and protection against overcurrent.                            | □ |

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 22/1 AP BP L 1.528-130.0



|   |    | Order no.   | Description   |                          |
|---|----|-------------|---|--------------------------|
| <b>BATTERIES</b>  |    |             |   |                          |
| Battery Power+ 36/60  | 15 | 2.042-022.0 | Extremely powerful Battery Power+ 36 V lithium-ion battery with a capacity of 6.0 Ah for a long runtime. With innovative Real Time Technology via LCD display and voltage monitoring.                       | <input type="checkbox"/> |
| <b>BATTERY CHARGERS</b>   |    |             |   |                          |
| Universal charger Battery Power+ 18-36  | 16 | 2.445-054.0 | Universal charging unit Battery Power+ with LED operating status indicator for charging all 18 and 36 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries. Suitable for wall mounting. | <input type="checkbox"/> |
| Fast charger Battery Power+ 36/60   | 17 | 2.445-045.0 | Charge all 36 V Kärcher Battery Power and Kärcher Battery Power+ lithium-ion batteries with max. 6 A charging current: Quick charger with LED operating status indicator. Easy wall mounting.               | <input type="checkbox"/> |
| <b>STARTER KIT</b>  |    |             |   |                          |
| Starter kit Battery Power+ 36/75  | 18 | 2.445-070.0 | Starter Kit Battery Power+ 36/75 with 2 36-V/7.5-Ah batteries and 36-V quick charger for our 36 V Kärcher Battery Power and Kärcher Battery Power+ battery platform devices.                                | <input type="checkbox"/> |
| Starter kit Battery Power+ 36/60  | 19 | 2.445-071.0 | Kärcher Battery Power+ 36/60 Starter Kit for all machines in the Kärcher 36 V Battery Power+ battery platform. Scope of delivery: 2x 36 V/6.0 Ah batteries and the compatible 36 V quick charger.           | <input type="checkbox"/> |
| <b>FILTER BAGS</b>  |    |             |   |                          |
| <b>Fleece filter bags</b>   |    |             |   |                          |
| Fleece filter bags, 5 Piece(s), NT 22/1   | 20 | 6.907-469.0 | Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.  | <input type="checkbox"/> |
| <b>SUCTION HOSES</b>  |    |             |   |                          |
| <b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b> |    |             |   |                          |
| Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0  | 21 | 2.889-134.0 | The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.  | <input type="checkbox"/> |
| <b>CONNECTING SLEEVES</b>   |    |             |   |                          |
| <b>Connection adapter C ID (clip to cone)</b>   |    |             |   |                          |
| Adapter clip DN 35 on cone DN 35  | 22 | 5.407-005.0 | Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.                                | <input type="checkbox"/> |
| <b>OTHER ACCESSORIES NT</b>   |    |             |   |                          |
| Adapter clip new on clip old DN 35  | 23 | 2.889-312.0 | Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.                                  | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.