

B 90 R CLASSIC BP

The B 90 R Classic Bp battery powered ride-on scrubber dryer is compact, versatile, features an extended tank capacity and variable working widths (55, 65, 75 cm).



Order no. 1.161-306.0

- Very easy to use
- With operating hour counter
- For maintenance cleaning

Technical data

| | | |
|----------------------------------|------------------------|--------------------|
| EAN code | | 4039784497849 |
| Drive type | | Battery |
| Traction drive | | Traction motor |
| Working width of brushes | mm | 550 - 750 |
| Working width, vacuuming | mm | 850 - 940 |
| Tank of fresh/dirty water | l | 90 / 90 |
| Battery | V | 24 |
| Battery runtime | h | max. 3.5 |
| Brush contact pressure | g/cm ² / kg | 20 - 315 / 28 - 37 |
| Water consumption | l/min | 3.5 |
| Sound pressure level | dB(A) | 69 |
| Rated input power | W | 2200 |
| Total permissible weight | kg | 460 |
| Dimensions (L × W × H) | mm | 1450 × 800 × 1200 |

Users must receive training on this device.

Equipment

| | |
|--------------------------------|---|
| Powerful traction drive | ■ |
| Automatic water stop | ■ |

■ Included in the scope of supply.



Highly manoeuvrable

- Thanks to its very short and narrow construction style, the machine is very agile and easy to maneuver despite large water volumes.
- The 90° steering system allows you to turn on the spot.
- A low centre of gravity ensures excellent road adherence.



Easy operation

- The basic functions are easily controlled using the EASY switch.
- Operating hours can be viewed on the display.
- Additionally, the roller brushes ensure that water and therefore also cleaning agent are saved.




Long running time

- Large compartment for a large battery capacity. Maintenance-free gel batteries in the pack variants.

ACCESSORIES FOR B 90 R CLASSIC BP

1.161-306.0



1-2



3-5



6-9



10



11



12, 15, 18



13, 16, 19




14, 17, 20

| | | Order no. | Description | |
|---|----|-------------|--|--------------------------|
| DISC PADS / PAD DRIVE BOARDS | | | | |
| Pad drive boards | | | | |
| Pad drive board STRONG, 375 mm | 1 | 4.762-591.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 75. 2 pc. required. | <input type="checkbox"/> |
| Pad drive board STRONG, 335 mm | 2 | 4.762-590.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required. | <input type="checkbox"/> |
| Pad drive board, 375 mm | 3 | 4.762-447.0 | Pad driver plate for cleaning with pads, 375 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75. | <input type="checkbox"/> |
| Pad drive board, 335 mm | 4 | 4.762-446.0 | Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65. | <input type="checkbox"/> |
| STRONG pad drive board, 280 mm | 5 | 4.762-445.0 | Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. 2 pieces required. | <input type="checkbox"/> |
| Microfibre pad | | | | |
| Microfibre pad, White, 381 mm, 5 Piece(s) | 6 | 6.371-078.0 | 5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C. Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles. | <input type="checkbox"/> |
| Microfibre pad, White, 356 mm, 5 Piece(s) | 7 | 6.369-959.0 | | <input type="checkbox"/> |
| | 8 | 6.905-060.0 | | <input type="checkbox"/> |
| Microfibre pad, White, 280 mm, 5 Piece(s) | 9 | 6.369-120.0 | | <input type="checkbox"/> |
| Pads | | | | |
| Pad, medium-soft, red, 650 mm, 5 Piece(s) | 10 | 6.371-000.0 | Red, standard disc pad for regular maintenance cleaning. | <input type="checkbox"/> |
| Pad, hard, brown, 650 mm, 5 Piece(s) | 11 | 4.642-025.0 | Very abrasive disc pad for chemical-free care film and decoating. | <input type="checkbox"/> |
| Pad, medium-soft, red, 381 mm, 5 Piece(s) | 12 | 6.369-791.0 | Red, standard disc pad for regular maintenance cleaning. | <input type="checkbox"/> |
| Pad, medium-hard, green, 381 mm, 5 Piece(s) | 13 | 6.369-790.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | <input type="checkbox"/> |
| Pad, hard, Black, 381 mm, 5 Piece(s) | 14 | 6.369-789.0 | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR B 90 R CLASSIC BP

1.161-306.0




| | | Order no. | Description | |
|---|----|-------------|--|--------------------------|
| DISC PADS / PAD DRIVE BOARDS | | | | |
| Pads | | | | |
| Pad, medium-soft, red, 356 mm, 5 Piece(s) | 15 | 6.369-003.0 | Red, standard disc pad for regular maintenance cleaning. | <input type="checkbox"/> |
| Pad, medium-hard, green, 356 mm, 5 Piece(s) | 16 | 6.369-002.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | <input type="checkbox"/> |
| Pad, hard, Black, 356 mm, 5 Piece(s) | 17 | 6.369-001.0 | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |
| Pad, medium-soft, red, 280 mm, 5 Piece(s) | 18 | 6.371-153.0 | Red, standard disc pad for regular maintenance cleaning. | <input type="checkbox"/> |
| Pad, medium-hard, green, 280 mm, 5 Piece(s) | 19 | 6.371-154.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt. | <input type="checkbox"/> |
| Pad, hard, Black, 280 mm, 5 Piece(s) | 20 | 6.371-155.0 | Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |
| Diamond pad | | | | |
| Diamond pad, coarse, White, 385 mm, 5 Piece(s) | 21 | 6.371-252.0 | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | <input type="checkbox"/> |
| Diamond pad, medium, Yellow, 385 mm, 5 Piece(s) | 22 | 6.371-253.0 | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | <input type="checkbox"/> |
| Diamond pad, fine, green, 385 mm, 5 Piece(s) | 23 | 6.371-236.0 | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | <input type="checkbox"/> |
| Diamond pad, coarse, White, 356 mm, 5 Piece(s) | 24 | 6.371-250.0 | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | <input type="checkbox"/> |
| Diamond pad, medium, Yellow, 356 mm, 5 Piece(s) | 25 | 6.371-251.0 | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | <input type="checkbox"/> |
| Diamond pad, fine, green, 356 mm, 5 Piece(s) | 26 | 6.371-235.0 | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | <input type="checkbox"/> |
| Diamond pad, coarse, White, 280 mm, 5 Piece(s) | 27 | 6.371-246.0 | White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad. | <input type="checkbox"/> |
| Diamond pad, medium, Yellow, 280 mm, 5 Piece(s) | 28 | 6.371-247.0 | Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR B 90 R CLASSIC BP

1.161-306.0



| | | Order no. | Description | |
|---|----|-------------|---|--------------------------|
| DISC PADS / PAD DRIVE BOARDS | | | | |
| Diamond pad | | | | |
| Diamond pad, fine, green, 280 mm, 5 Piece(s) | 29 | 6.371-233.0 | Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation. | <input type="checkbox"/> |
| Melamine pads | | | | |
| Melamine pad, Grey/white, 381 mm, 2 Piece(s) | 30 | 6.371-022.0 | White melamine disc pad for intermediate and deep cleaning of microporous surfaces, as well as fine stone and other hard floor coverings. Can also be used for removing grey haze. | <input type="checkbox"/> |
| Melamine pad, Grey/white, 356 mm, 2 Piece(s) | 31 | 6.371-021.0 | | <input type="checkbox"/> |
| SQUEEGEES AND SQUEEGEE BLADES | | | | |
| Squeegees | | | | |
| Squeegee, 1000 mm, V-shaped | 32 | 4.777-080.0 | Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resistant polyurethane with a long lifetime. | <input type="checkbox"/> |
| Squeegee, 900 mm, V-shaped | 33 | 4.777-079.0 | 900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment. | <input type="checkbox"/> |
| Squeegee, 940 mm, straight | 34 | 4.777-402.0 | Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure. | <input type="checkbox"/> |
| Squeegee, 850 mm, straight | 35 | 4.777-401.0 | Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane. | <input type="checkbox"/> |
| Squeegee blades | | | | |
| Squeegee blades for V-squeegee, oil-resistant, grooved, 1116 mm | 36 | 6.273-024.0 | Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane. | <input type="checkbox"/> |
| Squeegee blades for V-squeegee, oil-resistant, grooved, 1010 mm | 37 | 6.273-023.0 | Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors. | <input type="checkbox"/> |
| Squeegee blades, oil-resistant, grooved, 960 mm | 38 | 6.273-208.0 | Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. | <input type="checkbox"/> |
| Squeegee blades, oil-resistant, slotted, 960 mm | 39 | 6.273-205.0 | Squeegee blade kit includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors. | <input type="checkbox"/> |
| Squeegee blades, oil-resistant, closed, 960 mm | 40 | 6.273-291.0 | Closed, oil-resistant, for structured floors. | <input type="checkbox"/> |
| Squeegee blades, Natural rubber, 960 mm | 41 | 6.273-214.0 | Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors. | <input type="checkbox"/> |
| Rubber lip set, oil-resistant, grooved, 890 mm | 42 | 6.273-207.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors. | <input type="checkbox"/> |

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR B 90 R CLASSIC BP

1.161-306.0



| | | Order no. | Description | |
|---|----|-------------|--|--------------------------|
| SQUEEGEES AND SQUEEGEE BLADES | | | | |
| Squeegee blades | | | | |
| Squeegee blades, oil-resistant, slotted, 890 mm | 43 | 6.273-229.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors. | <input type="checkbox"/> |
| Squeegee blades, oil-resistant, closed, 890 mm | 44 | 6.273-290.0 | Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors. | <input type="checkbox"/> |
| Squeegee blades, Natural rubber, 890 mm | 45 | 6.273-213.0 | Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors. | <input type="checkbox"/> |
| KITS | | | | |
| Fleet mounting kit | | | | |
| Attachment kit Plug-in Connect Module | 46 | 2.644-391.0 | The IoT module* is used to transmit information on the location and operating hours of battery-powered Kärcher cleaning machines and third-party devices to the equipment management system. | <input type="checkbox"/> |
| Lighting / revolving signal light mounting kit | | | | |
| Flashing beacon | 47 | 2.641-718.0 | Increases the safety of the working environment. | <input type="checkbox"/> |
| Other attachment kits | | | | |
| Attachment kit stacked bumper roller squeegee | 48 | 4.035-619.0 | Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet. | <input type="checkbox"/> |
| Auto-Fill | 49 | 2.641-748.0 | Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow. | <input type="checkbox"/> |
| Suction hose accessories | 50 | 4.444-015.0 | For vacuuming water out of corners or containers (e.g. freezers). | <input type="checkbox"/> |
| TRACTION BATTERIES AND CHARGERS | | | | |
| Batteries | | | | |
| Battery kit, 24 V, 180 Ah, maintenance-free | 51 | 2.815-101.0 | Battery kit with 24 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free single gel batteries. | <input type="checkbox"/> |
| Battery kit, 24 V, 180 Ah, Low-maintenance | 52 | 6.654-070.0 | Battery pack includes six 4 V batteries and connecting cables | <input type="checkbox"/> |
| Battery kit, 24 V, 170 Ah, maintenance-free | 53 | 2.815-092.0 | Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries. | <input type="checkbox"/> |
| Battery Chargers | | | | |
| Battery charger, 24 V | 54 | 4.654-013.0 | 24 V battery charger, specially for the high-performance, low-maintenance 24 V battery set with 180 Ah storage capacity (order no. 4.035-440.0). | <input type="checkbox"/> |
| Charger, 24 V | 55 | 6.654-072.0 | For battery 6.654-070. Please order adapter 6.648-582.0 additionally. | <input type="checkbox"/> |
| Battery charger, 24 V | 56 | 6.654-078.0 | For batteries 6.654-124.0. | <input type="checkbox"/> |

☐ Available accessories.

ACCESSORIES FOR B 90 R CLASSIC BP

1.161-306.0



| | | Order no. | Description | |
|--|----|-------------|---|--------------------------|
| TRACTION BATTERIES AND CHARGERS | | | | |
| Battery Chargers | | | | |
| Battery charger, 24 V | 57 | 6.654-180.0 | For operating with 100 - 230 V. For battery 6.654-124.0 (4 x) and 6.654-130.0. | <input type="checkbox"/> |
| Accessories for batteries | | | | |
| Battery mounting kit | 58 | 2.638-064.0 | Installation kit for installing a battery kit in a machine. Incl. two spacers and three connection cables. Image similar. | <input type="checkbox"/> |
| | 59 | 2.638-106.0 | Installation kit for installing a battery kit in a machine. Incl. three connection cables. Image similar. | <input type="checkbox"/> |
| TRACTION BATTERIES | | | | |
| Battery | 60 | 6.654-119.0 | 4 required. | <input type="checkbox"/> |
| ROLLER BRUSHES | | | | |
| Roller brush, medium, red, 700 mm | 61 | 4.035-578.0 | Red standard roller brush for maintenance cleaning. | <input type="checkbox"/> |
| Roller brush, soft, White, 700 mm | 62 | 6.907-729.0 | White roller brush for cleaning sensitive floor coverings. | <input type="checkbox"/> |
| Roller brush, high / low, orange, 700 mm | 63 | 6.907-730.0 | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | <input type="checkbox"/> |
| Roller brush, hard, green, 700 mm | 64 | 6.907-731.0 | Green, abrasive roller brush for deep cleaning and removal of sticky dirt. | <input type="checkbox"/> |
| Roller brush, very hard, Black, 700 mm | 65 | 6.907-732.0 | Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |
| Roller brush, soft, White, 638 mm | 66 | 6.906-981.0 | White roller brush for cleaning sensitive floor coverings. | <input type="checkbox"/> |
| Roller brush, medium, red, 638 mm | 67 | 4.035-187.0 | Red standard roller brush for maintenance cleaning. | <input type="checkbox"/> |
| Roller brush, high / low, orange, 638 mm | 68 | 6.906-982.0 | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | <input type="checkbox"/> |
| Roller brush, hard, green, 638 mm | 69 | 6.906-983.0 | Green, abrasive roller brush for deep cleaning and removal of sticky dirt. | <input type="checkbox"/> |
| Roller brush, very hard, Black, 638 mm | 70 | 6.906-984.0 | Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |

☐ Available accessories.

ACCESSORIES FOR B 90 R CLASSIC BP

1.161-306.0



| | | Order no. | Description | |
|--|----|-------------|--|--------------------------|
| ROLLER BRUSHES | | | | |
| Roller brush, soft, White, 532 mm | 71 | 6.906-977.0 | White roller brush for cleaning sensitive floor coverings. | <input type="checkbox"/> |
| Roller brush, medium, red, 532 mm | 72 | 4.035-193.0 | Red standard roller brush for maintenance cleaning. | <input type="checkbox"/> |
| Roller brush, high / low, orange, 532 mm | 73 | 6.906-978.0 | Orange roller brush with high-low structure for particularly effective cleaning of textured floor coverings. | <input type="checkbox"/> |
| Roller brush, hard, green, 532 mm | 74 | 6.906-979.0 | Green, abrasive roller brush for deep cleaning and removal of sticky dirt. | <input type="checkbox"/> |
| Roller brush, very hard, Black, 532 mm | 75 | 6.906-980.0 | Black, very abrasive roller brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |
| DISC BRUSHES | | | | |
| Disc brush, very soft, White, 385 mm | 76 | 4.905-019.0 | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | <input type="checkbox"/> |
| Disc brush, soft, natural, 385 mm | 77 | 4.905-020.0 | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | <input type="checkbox"/> |
| Disc brush, medium, red, 385 mm | 78 | 4.905-018.0 | Red standard disc brush for regular maintenance cleaning. | <input type="checkbox"/> |
| Disc brush, hard, Black, 385 mm | 79 | 4.905-021.0 | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |
| Disc brush, very soft, White, 355 mm | 80 | 4.905-011.0 | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | <input type="checkbox"/> |
| Disc brush, soft, natural, 355 mm | 81 | 4.905-012.0 | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | <input type="checkbox"/> |
| Disc brush, medium, red, 355 mm | 82 | 4.905-010.0 | Red standard disc brush for regular maintenance cleaning. | <input type="checkbox"/> |
| Disc brush, hard, Black, 355 mm | 83 | 4.905-013.0 | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |
| Disc brush, very soft, White, 300 mm | 84 | 4.905-015.0 | White, soft disc brush for the gentle cleaning of sensitive floor coverings. | <input type="checkbox"/> |

☐ Available accessories.

ACCESSORIES FOR B 90 R CLASSIC BP

1.161-306.0




| | | Order no. | Description | |
|--|----|-------------|--|--------------------------|
| DISC BRUSHES | | | | |
| Disc brush, soft, natural, 300 mm | 85 | 4.905-016.0 | Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings. | <input type="checkbox"/> |
| Disc brush, medium, red, 300 mm | 86 | 4.905-014.0 | Red standard disc brush for regular maintenance cleaning. | <input type="checkbox"/> |
| Disc brush, hard, Black, 300 mm | 87 | 4.905-017.0 | Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt. | <input type="checkbox"/> |
| BRUSH HEADS | | | | |
| Brush head R75 S | 88 | 2.763-006.0 | Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | <input type="checkbox"/> |
| Brush head R65 S | 89 | 2.763-004.0 | Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. | <input type="checkbox"/> |
| Brush head R55 S | 90 | 2.763-002.0 | Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately. | <input type="checkbox"/> |
| Brush head D75 S | 91 | 2.763-005.0 | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | <input type="checkbox"/> |
| Brush head D65 S | 92 | 2.763-003.0 | Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately. | <input type="checkbox"/> |
| Brush head D55 S | 93 | 2.763-001.0 | Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee: Packed separately. | <input type="checkbox"/> |
| Brush head S65 | 94 | 2.763-030.0 | Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners. | <input type="checkbox"/> |
| Connection kit S65 | 95 | 4.036-061.0 | Kit for connecting the S 65 floor head to the B 90 R. | <input type="checkbox"/> |
| ROLLER PADS / ROLLER PAD SHAFTS | | | | |
| Pad roller shafts | | | | |
| Pad roller shaft, 700 mm | 96 | 4.762-627.0 | Aluminium pad roller shaft suitable for holding roller pads or microfibre rollers. | <input type="checkbox"/> |
| Pad roller shaft, 638 mm | 97 | 4.762-433.0 | | <input type="checkbox"/> |
| Pad roller shaft, 532 mm | 98 | 4.762-432.0 | Pad roller shaft suitable for holding roller pads or microfibre rollers. | <input type="checkbox"/> |

☐ Available accessories.

ACCESSORIES FOR B 90 R CLASSIC BP

1.161-306.0



| | | Order no. | Description | |
|------------------------------------|-----|-------------|--|--------------------------|
| ROLLER PADS / ROLLER PAD SHAFTS | | | | |
| Roller pads | | | | |
| Roller pad, medium, red | 99 | 6.369-456.0 | Red standard roller pad for the maintenance cleaning of non-textured floor coverings. | <input type="checkbox"/> |
| Roller pad, hard, green | 100 | 6.369-455.0 | Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt on non-textured floor coverings. | <input type="checkbox"/> |
| Microfibre shaft | | | | |
| Microfibre roller, 700 mm | 101 | 4.114-007.0 | Ideal for fine stoneware tiles. Microfibre roller for the reliable and gentle removal of grey haze. | <input type="checkbox"/> |
| Microfibre roller, 638 mm | 102 | 4.114-006.0 | | <input type="checkbox"/> |
| Microfibre roller, 532 mm | 103 | 4.114-005.0 | | <input type="checkbox"/> |
| OTHER ACCESSORIES SCRUBBER DRIERS | | | | |
| Miscellaneous | | | | |
| Additional weight kit | 104 | 5.031-498.0 | ensures that squeegee glides optimally | <input type="checkbox"/> |
| Filling hose | 105 | 6.680-124.0 | 1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps. | <input type="checkbox"/> |
| Dirty water tank filter | 106 | 6.414-976.0 | Improves airflow even when damp, thanks to modified filter material. | <input type="checkbox"/> |
| Dosing aids | | | | |
| DS 3 Cleaning Agent Dosing Station | 107 | 2.641-811.0 | After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes backflow preventer (DIN EN 1717). | <input type="checkbox"/> |
| SPRAY UNITS | | | | |
| Pump spray bottle | 108 | 6.394-409.0 | 1-litre pump spray bottle - including pump and pressure tank - easy, uniform spraying for cleaning or crystallising. | <input type="checkbox"/> |

☐ Available accessories.