

IVS 100/75 M

Our most powerful industrial vacuum from the super-class range with dust class M certification: IVS 100/75 M with 7.5 kW side channel blower for very large quantities of dusts that are hazardous to health.



Made in Germany



Order no. 1.573-822.0

- Certified for dust class M
- Extra-large filter area
- Pole reverse plug

Technical data

EAN code		4054278325644
Supply voltage	Ph / V / Hz	3 / 400 / 50
Air flow	l/s / m³/h	148 / 536
Vacuum	mbar / kPa	290 / 29
Container content	l	100
Container material		Stainless steel
Rated input power	kW	7.5
Vacuumping type		Electric
Connection nominal diameter		ID 70
Accessory nominal diameter		ID 70 / ID 50
Sound pressure level	dB(A)	73
Main filter dust class		M
Filter area for main filter	m²	2.2
Weight without accessories	kg	165
Weight incl. packaging	kg	177
Dimensions (L × W × H)	mm	1202 × 686 × 1465

Users must receive training on this device.

Equipment

Accessories included in the scope of delivery	no
Container emptying	Set-down trolley

- Included in the scope of supply.



Dust class M

- Complete device certified according to DIN EN 60335-2-69 for dust class M.



Wear-resistant side channel blower

- With 7.5 kW power and soft start for large quantities of dust and solids.
- For strong suction power and service life of at least 20,000 hours.
- Suitable for multiple shift operation and/or with multiple suction points.



Manual IVS filter cleaning

- Effortless operation by means of an ergonomically placed lever if required.
- Extends the life of the filter and thus reduces the maintenance effort.
- Identical cleaning results, regardless of the amount of force used.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0




1-2



3-4



5-6



7, 13



8, 14



9, 15



10, 16



11, 17



12, 18

	Order no.	Description	
ACCESSORY SETS			
Accessory kit for solids/dust			
Oven cleaning accessory kit DN 50	1 9.989-938.0	Accessory kit for oven cleaning: ME hose 3 m (9.989-979.0), handle (9.989-899.0), suction tube (9.989-929.0), floor nozzle (9.989-935.0), reducer (9.989-712.0), adapter (9.993-011.0).	<input type="checkbox"/>
Oven cleaning accessory kit DN 40	2 9.989-939.0	Accessory kit for oven cleaning: ME hose 3 m (9.989-976.0), handle (9.989-898.0), suction tube (9.989-928.0), floor nozzle (9.989-934.0), reducer (9.989-713.0), adapter (9.993-012.0).	<input type="checkbox"/>
Food accessory kit DN 40	3 9.989-940.0	Food accessory kit DN 40: PU hose 3 m (9.989-970.0), handle (9.989-898.0), standard nozzle (9.989-838.0), brush (9.989-879.0), reducer (9.989-713.0), adapter (9.993-012.0).	<input type="checkbox"/>
Food accessory kit DN 50	4 9.989-941.0	Food accessory kit: PU hose 3 m (9.989-973.0), handle (9.989-899.0), standard nozzle (9.989-844.0), brush (9.989-880.0), reducer (9.989-712.0), adapter (9.993-011.0).	<input type="checkbox"/>
Accessory kit for overhead cleaning DN 40	5 9.989-942.0	Accessory kit DN 40 for overhead cleaning: suction tubes (9.989-920.0/9.993-008.0), handles (9.989-916.0/9.989-918.0), standard nozzle (9.989-838.0), brush (9.989-879.0), adapter (9.993-012.0).	<input type="checkbox"/>
Accessory kit for overhead cleaning DN 50	6 9.989-943.0	Accessory kit DN 50 for overhead cleaning: suction tubes (9.989-921.0/9.993-009.0), handles (9.989-917.0/9.989-919.0), standard nozzle (9.989-844.0), brush (9.989-880.0), adapter (9.993-011.0).	<input type="checkbox"/>
NOZZLES			
Standard nozzles			
Standard nozzle silicone FDA blue DN-F40	7 9.989-835.0		<input type="checkbox"/>
Standard nozzle silicone FDA green DN-F40	8 9.989-836.0		<input type="checkbox"/>
Standard nozzle silicone FDA red DN-F40	9 9.989-837.0		<input type="checkbox"/>
Standard nozzle silicone FDA transparent DN-F40	10 9.989-838.0		<input type="checkbox"/>
Standard nozzle silicone FDA white DN-F40	11 9.989-839.0		<input type="checkbox"/>
Standard nozzle silicone FDA yellow DN-F40	12 9.989-840.0		<input type="checkbox"/>
Standard nozzle silicone FDA blue DN-F50	13 9.989-841.0		<input type="checkbox"/>
Standard nozzle silicone FDA green DN-F50	14 9.989-842.0		<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.




ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
NOZZLES			
Standard nozzles			
Standard nozzle silicone FDA red DN-F50	15 9.989-843.0		<input type="checkbox"/>
Standard nozzle silicone FDA transparent DN-F50	16 9.989-844.0		<input type="checkbox"/>
Standard nozzle silicone FDA white DN-F50	17 9.989-845.0		<input type="checkbox"/>
Standard nozzle silicone FDA yellow DN-F50	18 9.989-846.0		<input type="checkbox"/>
Standard PVC nozzle DN50	19 9.989-673.0	Electroconductive standard PVC nozzle. DN 50.	<input type="checkbox"/>
Standard PVC nozzle DN70	20 9.989-676.0	Electroconductive standard PVC nozzle. DN 70.	<input type="checkbox"/>
Standard nozzle silicone DN40	21 9.988-401.0	Stretchy standard nozzle made from silicone, inner cone DN 40.	<input type="checkbox"/>
Standard nozzle silicone DN50	22 9.988-402.0		<input type="checkbox"/>
Standard silicone nozzle DN70	23 9.989-672.0	Electroconductive standard silicone nozzle. DN 70.	<input type="checkbox"/>
Standard nozzle cuttable rubber DN50	24 9.989-675.0	Standard nozzle, electroconductive, made from cuttable rubber. DN 50.	<input type="checkbox"/>
Standard aluminium nozzle DN50	25 9.980-749.0	Diagonal nozzle made from anodised aluminium, electroconductive, DN 50.	<input type="checkbox"/>
Standard aluminium nozzle DN70	26 9.989-663.0	Standard nozzle made from aluminium. Electroconductive. DN 70.	<input type="checkbox"/>
Flexible standard nozzles			
Standard nozzle flexible PVC DN50	27 9.981-421.0	Electroconductive, flexible round nozzle made from galvanised steel, DN 50, with rubber mouthpiece DN 30.	<input type="checkbox"/>
Standard nozzle flexible PVC DN70	28 9.981-422.0	Flexible, electroconductive standard nozzle, DN 70, with rubber mouthpiece.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
NOZZLES			
Flexible standard nozzles			
Standard nozzle, flexible, angled 90° PP DN50	29	9.981-430.0	Flexible, electroconductive angled nozzle, DN 50, length: 800 mm. <input type="checkbox"/>
Floor nozzles			
Floor nozzle stainless steel AISI 304 DN-F40 blue	30	9.989-861.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 blue	31	9.989-862.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 green	32	9.989-863.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 green	33	9.989-864.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 red	34	9.989-865.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 red	35	9.989-866.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 transparent	36	9.989-867.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 transparent	37	9.989-868.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 white	38	9.989-869.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 white	39	9.989-870.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40 yellow	40	9.989-871.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F50 yellow	41	9.989-872.0	<input type="checkbox"/>
Floor nozzle stainless steel AISI 316L DN-F40	42	9.989-914.0	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M

1.573-822.0



42-43



44-45



46-47




48




49-50



51-52



53



54






55-56

	Order no.	Description	
NOZZLES			
Floor nozzles			
Floor nozzle stainless steel AISI 316L DN-F50	43 9.989-915.0		<input type="checkbox"/>
Floor nozzle stainless steel 400 mm DN-F40	44 9.989-934.0		<input type="checkbox"/>
Floor nozzle stainless steel 400 mm DN-F50	45 9.989-935.0		<input type="checkbox"/>
Floor nozzle aluminium 400 mm DN-F40	46 9.989-936.0		<input type="checkbox"/>
Floor nozzle aluminium 400 mm DN-F50	47 9.989-937.0		<input type="checkbox"/>
Aluminium floor nozzle 200 mm DN50	48 9.981-426.0	Floor nozzle, DN 50, with 200 mm suction width.	<input type="checkbox"/>
Aluminium floor nozzle 370 mm DN50	49 9.989-664.0	Floor nozzle. 370 mm, made from aluminium. Electroconductive. DN 50.	<input type="checkbox"/>
Aluminium floor nozzle, el, 370 mm, DN50	50 9.987-612.0	Electroconductive multi-purpose floor nozzle. 370 mm wide, DN 50.	<input type="checkbox"/>
Aluminium floor nozzle 500 mm DN50	51 9.989-684.0	Floor nozzle, 500 mm, made from aluminium. Electroconductive. DN 50.	<input type="checkbox"/>
Aluminium floor nozzle, el, 500 mm, DN50	52 9.981-925.0	Floor nozzle with 500 mm suction width and hinge. DN 50, electroconductive.	<input type="checkbox"/>
Stainless steel floor nozzle el 370 mm DN50	53 9.988-115.0	Floor nozzle (370 mm) made from stainless steel, electroconductive, DN 50.	<input type="checkbox"/>
Floor nozzle rubber strip oil-resistant. 220 mm	54 9.981-923.0	Squeegee with plastic strip for floor nozzle, 220 mm wide.	<input type="checkbox"/>
Floor nozzle rubber strip 370 mm	55 9.981-914.0	Squeegee with profiled strip for floor nozzle, 370 mm wide.	<input type="checkbox"/>
Floor nozzle rubber strip 500 mm	56 9.981-915.0	Oil-resistant squeegee with profiled strip for floor nozzle, 500 mm wide.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M


1.573-822.0



	Order no.	Description	
NOZZLES			
Floor nozzles			
Floor nozzle brush strip el. 370 mm	57	9.984-939.0	Electroconductive squeegee for floor nozzle, 370 mm wide. <input type="checkbox"/>
Floor nozzle brush strip 500 mm	58	9.980-764.0	Brush strip set for floor nozzle 500 mm, with profiled strip. <input type="checkbox"/>
Crevice nozzles			
Crevice nozzle PP 15 mm × 145 mm DN50	59	9.988-117.0	Electroconductive, flat multi-purpose crevice nozzle made from plastic, DN 52. <input type="checkbox"/>
Crevice nozzle PU 22 mm × 175 mm DN50	60	9.981-482.0	Crevice nozzle made from PU, DN 50. <input type="checkbox"/>
Crevice nozzle 18 mm × 120 mm DN50	61	9.981-442.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 17 mm slot width. <input type="checkbox"/>
Crevice nozzle 25 mm × 120 mm DN50	62	9.981-465.0	Electroconductive crevice nozzle made from sheet steel, DN 50, with 25 mm slot width. <input type="checkbox"/>
Crevice nozzle 28 mm × 120 mm DN70	63	9.981-444.0	Electroconductive crevice nozzle made from sheet steel, DN 70, with 30 mm slot width. <input type="checkbox"/>
Stainless steel crevice nozzle 22 mm × 220 mm DN50	64	9.988-123.0	Stainless steel crevice nozzle, DN 42, suitable for use with foods. <input type="checkbox"/>
Flexible crevice nozzles			
Crevice nozzle flexible silicone FDA DN-F50 transparent	65	9.989-847.0	<input type="checkbox"/>
Crevice nozzle flexible silicone FDA DN-F40 transparent	66	9.989-848.0	<input type="checkbox"/>
Flexible crevice nozzle silicone 65 mm DN50	67	9.988-403.0	Flexible crevice nozzle made from silicone, DN 50. <input type="checkbox"/>
Flexible crevice nozzle 11 mm × 58 mm DN40	68	9.989-681.0	Electroconductive and flexible crevice nozzle, 11 × 58 mm. <input type="checkbox"/>
Flexible crevice nozzle 12 mm × 45 mm DN50	69	9.981-424.0	Flexible, electroconductive galvanised crevice nozzle, DN 50, with 13 mm slot width. <input type="checkbox"/>
Flexible crevice nozzle 20 mm × 45 mm DN50	70	9.981-425.0	Flexible and electroconductive crevice nozzle made from galvanised steel with 20 mm slot width, DN 50. <input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
NOZZLES			
Surface nozzles			
Silicone surface nozzle FDA blue DN-F40	71 9.989-849.0		<input type="checkbox"/>
Silicone surface nozzle FDA blue DN-F50	72 9.989-850.0		<input type="checkbox"/>
Silicone surface nozzle FDA green DN-F40	73 9.989-851.0		<input type="checkbox"/>
Silicone surface nozzle FDA green DN-F50	74 9.989-852.0		<input type="checkbox"/>
Silicone surface nozzle FDA red DN-F40	75 9.989-853.0		<input type="checkbox"/>
Silicone surface nozzle FDA red DN-F50	76 9.989-854.0		<input type="checkbox"/>
Silicone surface nozzle FDA transparent DN-F40	77 9.989-855.0		<input type="checkbox"/>
Silicone surface nozzle FDA transparent DN-F50	78 9.989-856.0		<input type="checkbox"/>
Silicone surface nozzle FDA white DN-F40	79 9.989-857.0		<input type="checkbox"/>
Silicone surface nozzle FDA white DN-F50	80 9.989-858.0		<input type="checkbox"/>
Silicone surface nozzle FDA yellow DN-F40	81 9.989-859.0		<input type="checkbox"/>
Silicone surface nozzle FDA yellow DN-F50	82 9.989-860.0		<input type="checkbox"/>
Silicone surface nozzle 120 mm DN50	83 9.988-119.0	Electroconductive rubber nozzle, angled, DN 50, suitable for use with foods.	<input type="checkbox"/>
Aluminium surface nozzle 150 mm DN50	84 9.989-665.0	Surface nozzle, 150 mm, made from aluminium. DN 50.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



		Order no.	Description	
NOZZLES				
Liquid nozzles				
Liquid nozzle 900 mm DN50	85	9.981-427.0	Bypass nozzle, DN 50, overall length: 1000 mm.	<input type="checkbox"/>
Borehole nozzles				
Blind hole nozzle DN40	86	9.989-671.0	90° curved blind hole nozzle with 60 mm diameter.	<input type="checkbox"/>
Blind hose nozzle angled 60° DN40	87	9.989-669.0	90° curved blind hole nozzle with 48 mm diameter. DN 40.	<input type="checkbox"/>
Blind hose nozzle angled 90° DN40	88	9.989-667.0	90° curved blind hole nozzle with 60 mm diameter. DN 40.	<input type="checkbox"/>
Blind hose nozzle angled 90° 200 mm extension DN40	89	9.989-670.0	90° curved blind hole nozzle with 48 mm diameter. DN 40.	<input type="checkbox"/>
BRUSHES				
Standard brushes				
Standard brush 40 mm DN50	90	9.981-432.0	Flat brush nozzle DN 50.	<input type="checkbox"/>
End brushes				
Brush FDA blue ø 75 mm DN-F40	91	9.989-873.0		<input type="checkbox"/>
Brush FDA blue ø 75 mm DN-F50	92	9.989-874.0		<input type="checkbox"/>
Brush FDA green ø 75 mm DN-F40	93	9.989-875.0		<input type="checkbox"/>
Brush FDA green ø 75 mm DN-F50	94	9.989-876.0		<input type="checkbox"/>
Brush FDA red ø 75 mm DN-F40	95	9.989-877.0		<input type="checkbox"/>
Brush FDA red ø 75 mm DN-F50	96	9.989-878.0		<input type="checkbox"/>
Brush FDA white ø 75 mm DN-F40	97	9.989-879.0		<input type="checkbox"/>
Brush FDA white ø 75 mm DN-F50	98	9.989-880.0		<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
BRUSHES			
End brushes			
Brush FDA yellow ø 75 mm DN-F40	99	9.989-881.0	<input type="checkbox"/>
Brush FDA yellow ø 75 mm DN-F50	100	9.989-882.0	<input type="checkbox"/>
End brush Ø 82 mm DN50	101	9.989-608.0 Electroconductive end brush with 82 mm diameter. DN 50.	<input type="checkbox"/>
Surface brushes			
Surface brush 300 mm DN50	102	9.981-912.0 Vacuum brush, 300 mm, with 45° connection, with star screw, horsehair bristles.	<input type="checkbox"/>
Cylinder brushes			
Cylinder brush ø 100 mm DN-F40	103	9.989-922.0	<input type="checkbox"/>
Cylinder brush ø 200 mm DN-F40	104	9.989-923.0	<input type="checkbox"/>
Cylinder brush ø 100 mm DN-F50	105	9.989-925.0	<input type="checkbox"/>
Cylinder brush ø 200 mm DN-F50	106	9.989-926.0	<input type="checkbox"/>
HOSES			
PVC			
Hose PVC DN40 3 m	107	9.989-962.0	<input type="checkbox"/>
Hose PVC DN40 5 m	108	9.989-963.0	<input type="checkbox"/>
Hose PVC DN50 3 m	109	9.989-964.0	<input type="checkbox"/>
Hose PVC DN50 5 m	110	9.989-965.0	<input type="checkbox"/>
Hose PVC DN50 3 m	111	9.989-615.0 Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 3 m.	<input type="checkbox"/>
Hose PVC DN50 5 m	112	9.989-616.0 Electroconductive PVC hose, DN 50. Temperature-resistant up to 85 °C. Length: 5 m.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



113, 116



111-112, 114-115



117-118, 120



119



121, 124-125



122



123, 126

	Order no.	Description	
HOSES			
PVC			
PVC hose DN50 15 m without connectors	113 9.989-634.0	PVC hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m.	<input type="checkbox"/>
Hose PVC DN70 3 m	114 9.989-635.0	Electroconductive PVC hose, DN 70. Temperature-resistant up to 85 °C. Length: 3 m.	<input type="checkbox"/>
Hose PVC DN70 5 m	115 9.989-643.0	PVC hose, DN 70. Temperature-resistant up to 85 °C and electroconductive. Length: 5 m.	<input type="checkbox"/>
PVC hose DN70 15 m without connectors	116 9.989-636.0	PVC hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m.	<input type="checkbox"/>
EVA hoses			
Hose EVA DN40 3 m	117 9.989-982.0		<input type="checkbox"/>
Hose EVA DN40 5 m	118 9.989-983.0		<input type="checkbox"/>
Hose EVA DN50 3 m	119 9.989-984.0		<input type="checkbox"/>
Hose EVA DN50 5 m	120 9.989-985.0		<input type="checkbox"/>
Hose EVA NW50 3 m	121 9.988-090.0	Electroconductive hose with NW50. Suitable for temperatures up to 65°C. Length: 3 m.	<input type="checkbox"/>
Hose EVA NW50 5 m	122 9.988-091.0		<input type="checkbox"/>
EVA hose DN50 15 m without connectors	123 9.989-631.0	EVA hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 65 °C. Length: 15 m.	<input type="checkbox"/>
Hose EVA DN70 3 m	124 9.989-613.0	Electroconductive EVA hose, DN 70. Temperature-resistant up to 65 °C. Length: 3 m.	<input type="checkbox"/>
Hose EVA DN70 5 m	125 9.989-624.0	Electroconductive EVA hose, DN 70. Temperature-resistant up to 65 °C. Length: 5 m.	<input type="checkbox"/>
EVA hose DN70 15 m without connectors	126 9.989-632.0	EVA hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 65 °C. Length: 15 m.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
HOSES			
Hose installation sets			
Hose installation kit DN50	127 9.989-628.0	Multipiece hose connection kit, DN 50.	<input type="checkbox"/>
Hose installation kit DN70	128 9.989-629.0	Multipiece hose connection kit, DN 70.	<input type="checkbox"/>
Hose connection kit, stainless steel AISI 304 DN40	129 9.989-986.0	Hose connection kit in nominal width DN 40, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic).	<input type="checkbox"/>
Hose connection kit, stainless steel AISI 304 DN50	130 9.989-987.0	Hose connection kit in nominal width DN 50, made of stainless steel. Contents: 1 hose connection piece, 1 hose connection (rotating), 2 hose clamps, 2 hose end pieces (black), 1 flat bag (PE plastic).	<input type="checkbox"/>
PU hoses			
Hose PU DN40 3 m	131 9.989-966.0		<input type="checkbox"/>
Hose PU DN40 5 m	132 9.989-967.0		<input type="checkbox"/>
Hose PU DN50 3 m	133 9.989-968.0		<input type="checkbox"/>
Hose PU DN50 5 m	134 9.989-969.0		<input type="checkbox"/>
Hose PU FDA DN40 3 m	135 9.989-970.0		<input type="checkbox"/>
Hose PU FDA DN40 5 m	136 9.989-971.0		<input type="checkbox"/>
Hose PU FDA DN40 15 m	137 9.989-972.0		<input type="checkbox"/>
Hose PU FDA DN50 3 m	138 9.989-973.0		<input type="checkbox"/>
Hose PU FDA DN50 5 m	139 9.989-974.0		<input type="checkbox"/>
Hose PU FDA DN50 15 m	140 9.989-975.0		<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
HOSES			
PU hoses			
Hose PU DN50 3 m	141 9.989-619.0	Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 3 m.	<input type="checkbox"/>
Hose PU DN50 5 m	142 9.989-620.0	Oil-resistant, electroconductive PU hose, DN 50. Suitable for abrasive suction media and temperature-resistant up to 80 °C. Length: 5 m.	<input type="checkbox"/>
PU hose DN50 15 m without connectors	143 9.989-638.0	PU hose without tap adapter, DN 50. Electroconductive and temperature-resistant up to 80 °C. Length: 15 m.	<input type="checkbox"/>
Hose PU DN70 3 m	144 9.989-644.0	Oil-resistant, electroconductive PU hose, DN 70. Temperature-resistant up to 80 °C, suitable for abrasive suction media. Length: 3 m.	<input type="checkbox"/>
Hose PU DN70 5 m	145 9.989-645.0	Oil-resistant, electroconductive PU hose, DN 70. Temperature-resistant up to 80 °C, suitable for abrasive suction media. Length: 5 m.	<input type="checkbox"/>
PU hose DN70 15 m without connectors	146 9.989-639.0	PU hose without tap adapter, DN 70. Electroconductive and temperature-resistant up to 85 °C. Length: 15 m.	<input type="checkbox"/>
ME-PU-hoses			
Hose ME DN40 3 m	147 9.989-976.0		<input type="checkbox"/>
Hose ME DN40 5 m	148 9.989-977.0		<input type="checkbox"/>
Hose without connection ME DN40 15 m	149 9.989-978.0		<input type="checkbox"/>
Hose ME DN50 3 m	150 9.989-979.0		<input type="checkbox"/>
Hose ME DN50 5 m	151 9.989-980.0		<input type="checkbox"/>
Hose without connection ME DN50 15 m	152 9.989-981.0		<input type="checkbox"/>
HANDLES			
Elbow aluminium 45° DN50	153 9.989-547.0	Handle with 45° bend. Made from aluminium, DN 50.	<input type="checkbox"/>
Handle stainless steel AISI 304 DN40	154 9.989-896.0		<input type="checkbox"/>

Available accessories.






ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
HANDLES			
Handle stainless steel AISI 304 DN50	155 9.989-897.0		<input type="checkbox"/>
Handle straight stainless steel AISI 304 DN40	156 9.989-898.0		<input type="checkbox"/>
Handle straight stainless steel AISI 304 DN50	157 9.989-899.0		<input type="checkbox"/>
Handle carbon 45° DN-F40	158 9.989-916.0		<input type="checkbox"/>
Handle carbon 45° DN-F50	159 9.989-917.0		<input type="checkbox"/>
Handle carbon 110° DN-F40	160 9.989-918.0		<input type="checkbox"/>
Handle carbon 110° DN-F50	161 9.989-919.0		<input type="checkbox"/>
Handle DN50, curved	162 9.977-678.0	Electroconductive and 45° curved handle made from stainless steel. Inner cone DN 50.	<input type="checkbox"/>
Handle DN 70	163 9.977-677.0		<input type="checkbox"/>
Stainless steel handle NW50	164 9.988-111.0	Curved and electroconductive handle made from stainless steel. Angle 45°, inner cone NW 50.	<input type="checkbox"/>
SUCTION TUBES			
Carbon suction tube 1500 mm DN40	165 9.989-552.0	Very light carbon extension tube, electroconductive, DN 40. Length: 1500 mm.	<input type="checkbox"/>
Carbon suction tube 1500 mm DN50	166 9.989-553.0	Electroconductive, very light carbon extension tube. Inner cone DN 50, 1500 mm long.	<input type="checkbox"/>
Suction tube stainless steel AISI 304 DN40	167 9.989-912.0		<input type="checkbox"/>
Suction tube stainless steel AISI 304 DN50	168 9.989-913.0		<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
SUCTION TUBES			
Suction tube carbon 1500 mm DN-F40 conical	169 9.989-920.0		<input type="checkbox"/>
Suction tube carbon 1500 mm DN-F50 conical	170 9.989-921.0		<input type="checkbox"/>
Suction tube aluminium high temperature 1000 mm DN-F40	171 9.989-928.0		<input type="checkbox"/>
Suction tube aluminium high temperature 1000 mm DN-F50	172 9.989-929.0		<input type="checkbox"/>
Suction tube aluminium high temperature 2000 mm DN-F40	173 9.989-930.0		<input type="checkbox"/>
Suction tube aluminium high temperature 2000 mm DN-F50	174 9.989-931.0		<input type="checkbox"/>
Suction tube aluminium high temperature 3000 mm DN-F40	175 9.989-932.0		<input type="checkbox"/>
Suction tube aluminium high temperature 3000 mm DN-F50	176 9.989-933.0		<input type="checkbox"/>
Suction tube 850 mm DN 50	177 9.977-531.0	850 mm long extension tube made from steel. Electroconductive and with inner cone DN 50.	<input type="checkbox"/>
Suction tube 850 mm DN 70	178 9.981-910.0	Electroconductive extension tube, internal cone DN 70, 850 mm total length.	<input type="checkbox"/>
Aluminium suction tube 1500 mm NW40	179 9.989-038.0	Aluminium extension tube, electroconductive, NW 40. Length: 1500 mm.	<input type="checkbox"/>
Aluminium suction tube 1500 mm NW50	180 9.989-035.0	Electrically conductive suction tube (1500 mm) made of aluminium with 50 mm diameter.	<input type="checkbox"/>
Stainless steel suction tube 850 mm NW40	181 9.989-039.0	Stainless steel extension tube, electroconductive, NW 40. Length: 850 mm.	<input type="checkbox"/>
Stainless steel suction tube 850 mm NW50	182 9.988-114.0	Electroconductive extension tube made from stainless steel. Inner cone NW 50.	<input type="checkbox"/>

Available accessories.

ACCESSORIES FOR IVS 100/75 M 1.573-822.0



	Order no.	Description	
OTHER ACCESSORIES			
Universal accessories holder	183 9.989-789.0	Universal accessories holder for simple storage of suction tubes directly on industrial vacuums from the IVC, IVM and IVS product lines from Kärcher.	<input type="checkbox"/>
IVS remote control	184 2.273-001.0	Remote control for control of IVS machines up to 30 m away.	<input type="checkbox"/>
ADAPTERS / REDUCERS / DISTRIBUTORS			
Accessories adapter			
Adapter accessories DN 50 to DN 51	185 9.989-603.0	Steel adapter for connection of DN 50 to DN 51. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN 51 to DN 50	186 9.989-601.0	Steel adapter for connection of DN 51 to DN 50. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN50 to DN61	187 9.989-602.0	Steel adapter for connection of DN 50 to DN 61. Electroconductive.	<input type="checkbox"/>
Adapter accessories DN 61 to DN 50	188 9.989-604.0	Steel adapter for connection of DN 61 to DN 50. Electroconductive.	<input type="checkbox"/>
Reducers/expanders			
Reducer in AISI 304 stainless steel DN50 to DN40	189 9.989-893.0		<input type="checkbox"/>
Reduction DN70 to DN50	190 9.977-772.0		<input type="checkbox"/>
Reduction DN70 to DN40	191 9.989-690.0	Electroconductive steel reducer for reduction from DN 70 to DN 40.	<input type="checkbox"/>
Reduction DN50 to DN40	192 9.981-231.0	Reducer from DN 50 to DN 40. Material: Steel. Electroconductive.	<input type="checkbox"/>
Stainless steel reducer DN 70 to DN 50	193 9.989-712.0		<input type="checkbox"/>
Stainless steel reducer DN 70 to DN 40	194 9.989-713.0		<input type="checkbox"/>
Expander			
Expansion DN50 to DN70	195 9.981-921.0	Reducer from external cone DN 50 to internal cone DN 70. Material: Steel. Electroconductive.	<input type="checkbox"/>
Distributor			
AISI 304 stainless steel manifold DN70 to DN50	196 9.989-894.0		<input type="checkbox"/>

Available accessories.