

## BRC 45/45 C

Compact carpet cleaning machine for the deep and intermediate cleaning of medium-sized areas from 350 up to 1000 m². Forward and reverse cleaning direction with 2 contra-rotating roller brushes for fibre-deep cleanliness.



### Order no.

1.008-056.0

- For medium-sized areas
- Works forwards and backwards
- Two contra-rotating roller brushes with constant contact pressure.

### Technical data

EAN code		4039784497986
Area performance (deep cleaning / intermediate cleaning iCapsol)	m²/h	350 / 1000
Air flow	l/s	45
Vacuum	mbar / kPa	300 / 30
Spray pressure for intermediate cleaning	bar	3.5
Spray pressure for deep cleaning	bar	7
Spray rate for intermediate cleaning	l/min	0.7
Spray rate for deep cleaning	l/min	3.2
Working width, vacuuming	mm	450
Tank of fresh/dirty water	l	45 / 38
Turbine capacity	W	1100
Motor rating of brush motor	W	600
Weight without accessories	kg	75
Dimensions (L × W × H)	mm	1029 × 559 × 1092

Users must receive training on this device.

### Equipment

Work direction	Forward or backwards
iCapsol mode	■
Number of rollers	Piece(s) 2

■ Included in the scope of supply.



## **Floating brush head with contra-rotating roller brushes**

- Two roller brushes for high cleaning performance.
- Simultaneously cleans deep into the pile from two sides.
- Ensures uniform floor contact also on uneven surfaces.



## **Working direction, forwards or backwards**

- Working direction adjustable to carpet.
- Cleaning direction selectable by folding push handle.
- Ergonomic working position for carpet cleaning – forwards and backwards.

ACCESSORIES FOR BRC 45/45 C  
1.008-056.0



		Order no.	Description	
ROLLER BRUSHES				
Roller brush, 450 mm	1	8.621-605.0	Standard, black, 2 required.	■
	2	8.629-552.0	Soft, 2 required. For hard carpets such as needle felt or short loop-pile carpets.	□
CARPET CLEANERS				
Other accessories				
Adapter	3	8.631-030.0	For floor tool 4.130-061.0 and handle with trigger 4.130-163.0.	■
SPRAY EXTRACTION MACHINES				
Upholstery tools				
Hand nozzle	4	4.130-163.0	For cleaning upholstery with Puzzi 400/E and Puzzi 400 K, with water flow reducer 3.637-029.0 – except Puzzi 400 K.	□

■ Included in the scope of supply. □ Available accessories.